

Blackbaud NetCommunity



New Features 7.2 (Service Pack 19)

05/22/2026 Blackbaud NetCommunity 7.2 New Features Guide Service Pack 19 US

©2026 Blackbaud, Inc. This publication, or any part thereof, may not be reproduced or transmitted in any form or by any means, electronic, or mechanical, including photocopying, recording, storage in an information retrieval system, or otherwise, without the prior written permission of Blackbaud, Inc.

The information in this manual has been carefully checked and is believed to be accurate. Blackbaud, Inc., assumes no responsibility for any inaccuracies, errors, or omissions in this manual. In no event will Blackbaud, Inc., be liable for direct, indirect, special, incidental, or consequential damages resulting from any defect or omission in this manual, even if advised of the possibility of damages.

In the interest of continuing product development, Blackbaud, Inc., reserves the right to make improvements in this manual and the products it describes at any time, without notice or obligation.

All Blackbaud product names appearing herein are trademarks or registered trademarks of Blackbaud, Inc.

All other products and company names mentioned herein are trademarks of their respective holder.

Blackbaud NetCommunity 7.2 New Features Guide Service Pack 19

Last Updated - 05/22/2026

New Features 7.2 Service Pack 19

Redirect to login for timeout due to inactivity	3
jQuery update	4
HTML Agility Pack (HAP) update	4
Social Sign On removed	4
Bug fixes	4

This guide provides an overview of new features and enhancements for **Blackbaud NetCommunity** 7.2 Service Pack 19. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use **The Raiser's Edge** 7.96 (with Patch 39) or higher to integrate with **Blackbaud NetCommunity** 7.2 Service Pack 19. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 19.

Redirect to login for timeout due to inactivity

Previously, if an admin user was inactive for 15 minutes or more, the screen remained visible until the user attempted to interact with the page. After 15 minutes of inactivity, any attempt to interact would redirect the user to a login prompt on a different page.

However, if a user duplicated the tab, the user could continue in a new browser session with the same ID, without needing to log back in.

Now, when a user is inactive for 15 minutes or more, the user is automatically redirected to a new page and prompted to log in. Duplicating the tab won't bypass the redirect URL; they're prompted to log back in.

This improves security.

By default, the organization's login page is used at the default URL for this redirect. However, organizations can customize the redirect URL.

To configure a customized redirect for users who timeout due to inactivity, an admin user should go to **Settings** and then select **General**. The option for **Enable client side inactivity timeout** is selected by default. Under **Pages**, select a page for the **Timeout redirect inactivity page**. This will be used for the redirect URL.

jQuery update

We updated the library for jQuery validation from version 1.20.0 to version 1.21.0.

We also updated jQuery UI from version 1.14.0 to version 1.14.1.

This update ensures **Blackbaud NetCommunity** benefits from the latest features, performance improvements, and security updates.

HTML Agility Pack (HAP) update

We updated the library for HTML Agility Pack from to version 1.12.2.

This update ensures **Blackbaud NetCommunity** benefits from the latest features, performance improvements, and security updates.

Social Sign On removed

Blackbaud NetCommunity no longer includes an option to log in using a social sign-on.

- The option for social sign-in was removed from the login page.
Users can't log in via social authentication providers (such as *Yahoo*, *Google*, and *LinkedIn*).
All users must access **Blackbaud NetCommunity** via their username and password.
- Configuration for **Social website login** was removed from the user login part.
- The **Social Media** tab was removed from **Settings**. Organizations can't configure new applications.
- Organizations can't create new **Social Apps**.
- The *Janrain* domain was removed from `configinfo`.
- The `cmsSocialSignOn` product flag was removed from `configinfo`.
- **Social Login Dashboards** were decommissioned on March 31, 2026. The dashboards were also removed. This was part of the "end of life" (EOL) for the **Identity Cloud**.

Bug fixes

- Previously, when a donor submitted a gift via **Donation Part** that used **Payment 2.0**, then the **Raiser Edge NetCommunity** plug-in showed the gift date based on the coordinated universal time (UTC) time date stamp of the transaction.
This is fixed. The gift date is now shown based on the timezone of the site.
- Previously, a small number of transactions (fewer than 10) were processed via **Blackbaud Merchant Services (BBMS)** but not shown in **NetCommunity**. This happened because

NetCommunity typically captures intermediate stages during the checkout process via the table `dbo.CMSTRANSACTIONS`. For the affected transactions, the intermediate checkout-loaded information was not captured in **NetCommunity**, but the card was still charged.

The affected transactions were manually added to **NetCommunity**. To prevent this issue from reoccurring in the future, the code was updated to prevent cards from being charged if checkout-loaded information is missing. Thus, the issue is fixed and now works as expected.

- Previously, when a user edited the content for an acknowledgment email or the confirmation screen for Donation 2.0, and inserted merge fields for matching gifts, then the matching gift fields appeared in the donor's view even when the donor didn't provide any information for a matching gift company.

This is fixed. When a donor doesn't have matching gift information, the corresponding merge fields no longer appear on the acknowledgment email or the confirmation screen. When matching gift information exists, the merge fields still appear and show the donor's information as expected.

New Features 7.2 Service Pack 18



Register a donor as a new user with credit card checkout	8
Password requirements	8
MatchFinder Online	8
reCAPTCHA	9
jQuery data table update	9
Bug fixes	9

This guide provides an overview of new features and enhancements for **Blackbaud NetCommunity** 7.2 Service Pack 18. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use **The Raiser's Edge** 7.96 (with Patch 39) or higher to integrate with **Blackbaud NetCommunity** 7.2 Service Pack 18. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 18.

Register a donor as a new user with credit card checkout

Donors can register as a new user when they make a credit card donation via a donation form or eCard part. This functionality was previously removed from the checkout flow; this service pack restores the original functionality.

This update helps organizations acquire users as intended, ensures consistency across donation methods, reduces potential confusion for new users, and ensures seamless integration with a donor's checkout experience.

Password requirements

With this service pack, we've update password requirements to match Central Authentication Service (CAS) 2025 standards.

Previously, user passwords:

- couldn't include references to a time, date, or season,
- couldn't include a backwards (reverse string) version of their name or the organization's name,
- and had to change every 90 days.

Those restrictions no longer apply. Relaxing password requirements reduces potential ambiguity and frustration for users.

However, user still can't create passwords with:

- their user name,
- first name,
- last name,
- organization name,
- "password" (case-insensitive),
- or "Blackbaud" (case-insensitive).

MatchFinder Online

Previously, if an organization had **MatchFinder Online** active and matching gifts were enabled for a donation part, then a link to **Look it up** appeared after the **My company will match my gift** checkbox. When donors selected the link, **MatchFinder Online** appeared and enabled donors to search for a company.

MatchFinder Online was retired. Therefore, we've removed the **Look it up** link from all user interfaces in **Blackbaud NetCommunity**.

The **Look it up** link was removed from:

- Donation forms (classic)
- Ecards
- Event classic
- Membership
- Donation forms 2.0
- TestConfig and ConfigInfo
- Matching gifts in ***The Raiser's Edge***

reCAPTCHA

With this release, reCAPTCHA now appears on free registrations and events (both with and without Payment 2.0). This includes:

- Event classic,
- Membership,
- and Event 2.0.

However, reCAPTCHA won't appear for recurring donations with a future date, since they use a different transaction screen.

This improves security and especially increases resistance to automated scripting attempts ("bot" attacks).

jQuery data table update

We updated the library for jQuery DataTables from version 1.12.1 to version 2.3.3.

The Honeycomb report uses this to show details for emails. This update ensures **Blackbaud NetCommunity** benefits from the latest features, performance improvements, and security updates.

Bug fixes

- Previously, a server's timeout error prevented some membership transactions from flowing into the plug-in for **Blackbaud NetCommunity**. The transactions remained in the **Validation failed** state instead of **Charged**. Thus, the corresponding acknowledgment emails were not automatically sent to donors.

This is fixed. Now, if a timeout error occurs for the server, the back end process handles the transactions later. Thus the transactions flow into the plug-in for **Blackbaud NetCommunity** and are marked as **Completed**. Acknowledgment emails are automatically sent to donors as expected.

- Previously, an error message sometimes appeared when a user attempted to submit a membership plan via a **Blackbaud NetCommunity** membership form part. The error message stated, "There was an error while performing the operation. The page will be refreshed." This issue

only occurred if a user attempted to set up a membership with an installment plan, an end date more than 365 days in the future, and a credit card as the payment method. It didn't affect direct debit transactions.

With this service pack, the error message was updated to provide additional information to help users troubleshoot the issue. It now states, "The payment schedule exceeds the membership term. Please adjust the schedule to complete payments before the membership expires on mm/dd/yyyy." This error message will appear whenever the number of installments exceeds the membership's end date.

New Features 7.2 Service Pack 17

Remember my login	11
Single Sign On (SSO)	11
Tiny MCE upgrade	11
Bug fixes	12

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 17. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 38) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 17. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 17.

Remember my login

In a previous release, the functionality of the **Remember** login option was removed. However, the button remained.

As of this update, the **Remember me** or **Remember login** options no longer appear on any login screen for **Blackbaud NetCommunity**.

Since this button didn't function, removing it reduces clutter and potential confusion for users.

Single Sign On (SSO)

With [Service Pack 10](#), Single Sign-On (SSO) authentication for **Blackbaud NetCommunity** was deprecated. Organizations who already had it enabled could continue using it. However, organizations could not enable new SSOs.

The SSO capability is now disabled for all organizations. Existing SSO configurations are now also disabled for all organizations.

Tiny MCE upgrade

With this release, we've upgraded *TinyMCE* from version 6.8.5 to version 7.9.0.

This ensures **Blackbaud NetCommunity** uses the most advanced version of the WYSIWYG editor.

Bug fixes

- Previously, when a **Donation form** had eCards enabled and the user selected **Send me a copy of each email**, then an issue prevented the eCard recipients from receiving their eCards.

This is fixed. The sender and recipient now both receive eCards and emails as expected.

New Features 7.2 Service Pack 16

eReceipts for Payment 2.0 Donation Forms	13
Password requirements	14
Tiny MCE upgrade	15
API cleanup	15
Bug fixes	15

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 16. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 37) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 16. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 16.

eReceipts for Payment 2.0 Donation Forms

With this release admin users can now configure **Donation Forms** with **Payments 2.0** to show **eReceipts** to donors, including for:

- **eCards**
- **Transaction Manager**
- and **Giving Search**.

Consider updating your forms to use **eReceipts**:

1. Edit a donation form.
2. Under **Payment setup**, select **Use payment part**. Configure the part, including a combined confirmation and acknowledgment message.

You can insert merge fields and use the format options to compose the message for the receipt.

With this update, we've added additional merge fields for **eReceipts**. These include

- begin section
- number
- download URL
- end section

3. Select **Next**.
4. Under **eReceipt Options**, determine when which payment methods (credit or debit card) should generate an **eReceipts** and whether to they should be marked as receipted in the ***Raiser's Edge***.
5. Under **eReceipt Content**, insert merge fields and use the format options to compose a message for the receipt. You'll likely include a heading with donor info, a greeting, a message thanking the donor, and information about the donation.
6. Select **Preview PDF** to review the content.
7. When ready, select **Save**.

The **eReceipts** number and download URL (link) are also now included in the **Receipt Grid** merge field. Select **Language** to update the text that appears on the user interface. This now includes items for **eReceipts**:

- **eReceipts** link column header
- **eReceipts** link not applicable message
- **eReceipts** not applicable message
- **eReceipts** number column header

Password requirements

This release enhances security with updated password requirements for all users.

Passwords must include at least:

- twelve characters
- one uppercase letter
- one lower case letter
- one number
- one special character (such as \$, #, %, *)

Passwords can't include:

- your name (in any text direction)
- your username (in any text direction)
- "Password" (in any text direction)
- "Blackbaud" (in any text direction)
- your organization name (in any text direction)
- a year starting with 19 or 20 (even in reverse order)
- any indicator of time, date, or season (in any text direction)
- any of the above including special character variations.

For example, these don't meet the new requirements:

- P@\$w0rd
- drowssap
- My0rg1976
- My0rg6791
- Spring
- \$pring
- Spr1ng
- Sunday
- \$unday
- Sund@y

Tiny MCE upgrade

With this release, we've upgraded *TinyMCE* to version 6.8.5.

This ensures **Blackbaud NetCommunity** uses the most advanced version of the WYSIWYG editor.

API cleanup

APIs related to payment methods which are not **Blackbaud Checkout** were removed from **Blackbaud Net Community**.

Bug fixes

- Previously, if a user began to complete a membership form, reached the payment step, selected **Empty cart**, returned to an earlier part of the form, added items to the card, and then attempted to pay, an error occurred.
This is fixed. Users can now proceed to Payment 2.0 as expected, even if they previously emptied and then refilled their cart.
- Previously, when an individual used a membership form to submit a membership via pledge installments on a credit card, then the card was charged at the time of the submission, rather than the date of the scheduled pledge installment.
This is fixed. The credit card is now charged on the date of the scheduled pledge installment, as expected.
- Previously, if an organization still used older donation forms (not 2.0), updated them to use **Blackbaud Checkout**, and also still used **Giving search**, then an error occurred when they attempted to search.

This is fixed. The search error no longer occurs. Users can make donations with **Blackbaud Checkout** as expected, even by **Giving search** form.

- Previously, from a Donation Form Part with **Blackbaud Checkout**, if a user entered an **Email address** and a **Confirm email address** that didn't match, no error occurred. Users could proceed to submit the donation, even though the email address wasn't confirmed with an exact match.

This is fixed. When the emails don't match, an error now occurs and prevents the user from submitting a donation. Users should resolve the issue by correcting the email addresses to match and then attempting to submit the donation.

- Previously, an error occurred intermittently and caused an organization to receive multiple notification emails about a transaction for a membership purchase. The membership table also showed multiple transactions. However, the transaction was only processed a single time in **Blackbaud Merchant services (BBMS)**. The duplicates appeared with the default supervisor's user ID.

This is fixed. The transactions no longer appear duplicated in the membership table and no longer generate duplicate notification emails.

- Previously, if a donation form (with **Blackbaud Checkout**) only offered pledge installments, an error caused the pledge to have zero installments, regardless of the number and frequency selected. Thus the total amount pledged was charged instead. Additionally, since the number of installments is a required field, the pledge couldn't be downloaded with the plug-in for the **Raiser's Edge**.

This is fixed. The installments and frequency are retained and respected, so that the total amount is no longer charged up front. The transaction can be downloaded with the plug-in for the **Raiser's Edge**.

- Previously, when an organization edited a **User Login** part and updated the **Language for Forgotten Username or Password**, an error prevented those changes from appearing to end users.

This is fixed. The updated labels for the user interface text now appear as expected.

- Previously, an issue caused donors to be prompted to log in to view the PDFs of their eReceipts, even if they had not logged in to make the donation. Additionally, the donation table indicated that the donations were recorded by a supervisor user after business hours, even though they'd been made by donors during business hours.

This is fixed. If a user didn't log in to make a donation, then they're no longer prompted to login to view their eReceipt. The donation is also logged with the correct time stamp and user in the donation table

- Previously, if a new user registered using *Google* for Single Sign On (SSO), via the plug-in for the **Raiser's Edge**, and **Profile Discovery** was disabled, then an intermittent issue caused some registrations for new users to receive the last name "You" instead of the name they entered. This was caused by *Jainrain API*, which *Google's* SSO uses.

This is fixed. When **Profile Discovery** is disabled, **FirstName** and **LastName** will appear blank on the registration form; the end user can enter this information into the interface.

- Previously, if a Donation Form part enabled donors to create a recurring gift at a specific frequency and didn't enable donors to specify an end date, then donors received an error message when they attempted to donate using a credit card. The error message indicated the credit card number

was invalid, even though it was valid.

This is fixed. Donors can successfully complete the transactions as expected.

New Features 7.2 Service Pack 15

jQuery UI upgrade	19
File and image uploads	19
Session timeout after 15 minutes	20
Existing transaction parts require Blackbaud Checkout	20
Payment and payment summary parts are retired	20
Payment options removed from common form	21
Secure payment template update was removed	21
Fundraiser synchronization scheduler was removed	21
New Features 7.2 Service Pack 15 Hot Fix	21

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 15. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 35) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 15. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 15.

jQuery UI upgrade

With this release, we've upgraded *jQuery UI* to version 1.14.0. This ensures the latest user interface enhancements for **Blackbaud NetCommunity**.

File and image uploads

When you upload files or images, additional text appears in the user interface to provide guidance for an optimal user experience.

- Please limit file uploads to no more than 5 at a time.
- Please limit image uploads to no more than 5 at a time.

Session timeout after 15 minutes

If a non-admin user is inactive for 15 minutes, their session will expire. When they attempt to take action after this expiration, they'll be automatically redirected to the login page. We've reduced the session time out from 24 hours to 15 minutes for increased security.

Similarly, the **Remember me** function remains disabled for all users due to security reasons.

Existing transaction parts require Blackbaud Checkout

As of this release, all existing payment transactional parts require **Blackbaud Checkout**. **Blackbaud Checkout** is now the only payment work flow supported. Previously, it was only required for new transaction parts.

The **Direct to payment** option is no longer available nor supported.

Forms which are configured to use merchant accounts that are incompatible with **Blackbaud Checkout** or forms configured to use **Direct to payment** no longer function. Update your existing forms to use merchant accounts that support **Blackbaud Checkout**.

Existing pages that haven't yet been updated to use **Blackbaud Checkout** and only have the credit card option selected for payment then page will warn the user that, "This page can not accept payments. Please contact your site administrator." Admin users can customize this warning message. To do so, go to **Administration, Site & Settings**, and edit the **Message for unsupported payment workflows**.

Additionally, existing pages which haven't been updated to use **Blackbaud Checkout** but offer other payment options (such as Direct Debit or Bill Me Later) alongside credit cards will continue to function without the credit card option.

A banner message will appear to remind admin users of this update. To hide the message permanently, select **Never show again**. Otherwise, the reminder will appear for each new browser session.

Payment and payment summary parts are retired

As of this release, the following parts are now retired. These parts are no longer supported and can no longer be used to create new payments.

- Payment part
- Payment summary part

Payment options removed from common form

Note: The change described below was rolled back in Hot Fix 1. For details, see [Hot Fix - Enable payments on common forms](#).

New and existing common forms no longer include the payment tab. Related merged fields no longer appear on common forms. Data for merge fields related to payments and payment information can no longer be exported for existing common forms. When you view the **Form Display** for a page, the payment step no longer appears. Payment related merge fields also no longer appear in the default confirmation.

However, users can still **Resume** existing transactions using the **Form Display** page. They can also **Edit** and **Complete** any transactions that have already been added to their cart as **Payment pending**.

Secure payment template update was removed

The setting used to manually refresh the templates for payment 2.0 parts no longer appear when you select **Administration, Sites & Settings, Schedules**. This **Update templates** setting is no longer necessary.

Organizations now use **Blackbaud Checkout** instead. This helps ensure compliance with the **Payment Card Industry Data Security Standard (PCI DSS)**.

Fundraiser synchronization scheduler was removed

Settings used to schedule how often the fundraiser part was synchronized no longer appear when you select **Administration, Sites & Settings, Schedules**.

These settings are no longer necessary. The fundraiser parts were retired in previous service packs.

New Features 7.2 Service Pack 15 Hot Fix

With this update, [a change that was originally made as part of service pack 15](#) has been rolled back. Previously, payment capabilities were removed from common forms in **Blackbaud NetCommunity**.

Now, organizations can enable users to make payments via Payment pages (Payment 2.0). However, the **Proceed direct to payment** option has been removed.

1. Log in to **NetCommunity**.
2. Select **Site Explorer** and then **Forms**.
3. Find the form and select **Edit** (pencil icon).
4. Select the **Payment** tab.

5. Choose **Charge fee with form**.
6. For **Fee amounts**, select **Add form fee**.
7. Then enter the
 - display name,
 - amount,
 - and criteria.
8. Select **Save**.

Note: To add more fees, select **Add form fee**, enter the required details, and save again.

9. Scroll down. Under **Payment setup**, select **Use payment part** and then choose **Payment page**.
If the menu doesn't show any payment pages, [set up a new Payment 2.0 page](#).
10. Review and configure any additional optional payment options:
 - **Bill me later** - enables user to complete form and submit no payment information.
 - **Allow users to waive the fee** - enables user to enter a waiver code (or "promo code") that you configure to bypass payment
11. Select **Save**.

Note: For more instructions, refer to the Knowledgebase article [How to add a fee to a common form](#). Remember, these credit card payments processed do not come through the **Raiser's Edge NetCommunity** plug-in! To see submitted forms and payments, you can [access Common Form data directly in NetCommunity](#).

New Features 7.2 Service Pack 14

Third party payment gateways	23
New transaction parts require Blackbaud Checkout	24
Optimized payment workflow for checkout functionality in Ecard part	24
Optimized payment workflow for checkout functionality in event registration forms (classic)	25
Changes in documents part	26
Bug fixes	27

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 14. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 34) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 14. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 14.

Third party payment gateways

As of July 31, 2024, **Blackbaud NetCommunity** no longer allows these gateways as options for payment processing:

- *Authorize*
- *PayFlow Pro*

For details, see the [Blackbaud Knowledgebase article regarding Authorize and PayFlow Pro](#).

As of August 6, 2024, **Blackbaud NetCommunity** no longer allows these gateways for payment processing:

- *Bambora (IPPayments)*

For details, see the [Blackbaud Knowledgebase article regarding Bambora](#).

- *IATS (US)*

For details, see the [Blackbaud Knowledgebase article regarding IATS](#).

- *Cybersource* for these currencies:

- US dollars (USD)
- Canadian dollars (CAD)
- British pounds (GBP)
- Euros (EUR)
- Australian dollars (AUD)
- New Zealand dollars (NZD)

Other currencies continue to be supported for *Cybersource*.

For details, see the [Blackbaud Knowledgebase article regarding Cybersource](#).

If your organization processes through the **Blackbaud Payment Services** with one of the payment gateways mentioned above, you must update your *Blackbaud* solution to process through **Blackbaud Merchant Services** as soon as possible.

Blackbaud Merchant Services is *Blackbaud's* end-to-end payment processing solution designed specifically for nonprofits. For more information, see [Getting Started with Blackbaud Merchant Services](#).

New transaction parts require Blackbaud Checkout

All new transaction parts must use **Blackbaud Checkout** as their payment method. Other merchant accounts are not supported as payment methods for new parts.

If you create a new transaction part, page, or template by copying an existing one, then it must also use **Blackbaud Checkout**. If it doesn't use **Blackbaud Checkout**, then it can't be copied to make a new version.

Likewise, to copy a site, all of the site's transactional parts must also use **Blackbaud Checkout**.

Existing transaction parts remain unaffected for service pack 14 and thus they currently support both **Blackbaud Checkout** and other merchant accounts.

However, this is the last service pack that will support other merchant accounts. To upgrade to future service pack 15, you must use only **Blackbaud Checkout**.


Therefore, we recommend you update existing parts, pages, and templates or else replace them with new ones that use **Blackbaud Checkout**.

Optimized payment workflow for checkout functionality in Ecard part

Service pack 14 enhances the payment workflow for checkout functionality in **e-Card** parts. It's now similar to checkout for donation forms.

When you edit an existing part, you can enable the enhanced workflow, by selecting **Use Checkout** on the **Proceed directly to payment** tab when you setup payment methods. If unselected, your **e-Cards**

will remain unchanged. For new parts, the option to **Use Checkout** won't appear because all new parts will automatically use the new checkout workflow.



You can also process *Direct to Payment (DTP)* transactions via the same page.

When a transaction fails, the business process now attempts to repair the transaction's current state. If the **e-Card** page is sent via an email job or message, this transaction data appears in the honeycomb report.

The **e-Card** now also shows a message indicating that the transaction is being processed, before the confirmation page appears.

Additionally, authorized donation transactions which are pending but weren't immediately downloaded using *Blackbaud Checkout* are now also repaired by the *Process CMS Transaction Business Process*. This business process runs approximately every 15 minutes. It also completes post-transaction activities, including sending acknowledgments and updating the honeycomb report.

Optimized payment workflow for checkout functionality in event registration forms (classic)

Service pack 14 enhances the payment workflow for checkout functionality in **Event Registration Form (Classic)** parts. It's now similar to checkout for donation forms.

When you edit an existing part, you can enable the enhanced workflow, by selecting **Use Checkout** on the **Proceed directly to payment** tab when you setup payment methods. If unselected, your **Event Registration Form (Classic)** parts will remain unchanged. For new parts, the option to **Use Checkout** won't appear because all new parts will automatically use the new checkout workflow.

Payment options

☐ Use payment part
 ☒ Proceed directly to payment

Merchant account: *

BBNC_USD_PAYPAL ▼

Select which merchant account to use

Select which payment methods to make available on this **Event Registration Form**.

☒ Credit Card

☒ Use Checkout

☒ Use site defaults for **Blackbaud Checkout Theme**

Colors and Font

Primary color: #84bc56

Secondary color: #4d842d

Fonts: Arial ▼

Enter a six-digit hexadecimal value for the color. Select a **Font** to use for the page.

When a transaction fails, the business process now attempts to repair the transaction's current state. If the **Event** page is sent via an email job or message, this transaction data appears in the honeycomb report.

The **Event Registration Form (Classic)** page now also shows a message indicating that the transaction is being processed, before the confirmation page appears.

Additionally, authorized donation transactions which are pending but weren't immediately downloaded using *Blackbaud Checkout* are now also repaired by the *Process CMS Transaction Business Process*. This business process runs approximately every 15 minutes. It also completes post-transaction activities, including sending acknowledgments, notifications, and updating the honeycomb report.

Changes in documents part

By default, new document parts are not automatically granted the **Everyone** permission.

When an admin creates a new documents part, they must assign at least one user or role with permission to view it.

If you assign the **Everyone** permission, then any document uploaded via this part will be publicly accessible (not secured).

To restrict the contents of the document, assign the appropriate permissions to only specific users and role. Do so from the **Targeting and security** tab.

With service pack 14, a confirmation message now appears and warns the admin whenever they grant the **Everyone** permission.

Bug fixes

- This update fixes an issue with donation forms in **Blackbaud NetCommunity**. Previously, when user tried to make a future recurring gift transaction from a donation form page with payment 2.0 as the payment method, then the gift amount in **Blackbaud Raiser's Edge** would show 0.00. This is fixed; now the expected gift amount appears in **Blackbaud Raiser's Edge**.

New Features 7.2 Service Pack 13

View user's last login date, time, and browser	29
More security to recover a forgotten password	29
Eight parts retired	30
Email status removed as column in user grid	30
jQuery upgrade	30
Tiny MCE upgrade	31

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 13. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 34) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 13. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 13.

View user's last login date, time, and browser

With this release, you can use new merge fields to view additional user information.

Find the new fields in the category for **Login history**.

- **Last login date & time**
- **Last login browser**

These show the user's data for the previous 10 login sessions. They only appear on the **Profile display** part.

You can review this history as part of your best practices for security. If the history shows an instance of a login that the user doesn't recognize, then the user's credential may be vulnerable to an unauthorized user. The user should immediately change their password and then investigate the suspicious activity further.

More security to recover a forgotten password

As part of our ongoing commitment to ensuring security, we now require users to enter additional information when they attempt to recover a forgotten password.

Users should enter their email address and one additional data value, such as their username. Alternatively, users can enter their email address, plus their first and last name.

Once verified, they'll receive an email that includes a link to reset their password.

Users who can't provide the necessary information to verify their identity can't "self-serve" their forgotten passwords. They must contact their administrator for assistance.

Eight parts retired

The following parts are now retired.

- Chapter Links
- Chapter Manager
- Chapter Page Element
- Fundraiser
- Fundraiser Dashboard
- Fundraiser Page Element
- Personal Page Element
- Personal Page Manager

Organizations can't create new parts using retired parts. Pages that include the retired part will indicate that, "This part is no longer supported and has been retired."

Email status removed as column in user grid

When you view the **Users** grid, the column for **Email status** no longer appears. This reduces potential confusion.

Previously this column indicated whether a user's email address was

- missing,
- verification pending,
- or verified.

Since multi-factor authentication (MFA) is no longer based on user email addresses, this column became unnecessary.

Instead, users use an authenticator app with time-based one-time passwords (TOPT).

jQuery upgrade

With this release, we've upgraded *jQuery* to version 3.7.1. This ensures the latest security enhancements for **Blackbaud NetCommunity**.

Tiny MCE upgrade

With this release, we've upgraded *TinyMCE* to version 6.8.2. This ensures **Blackbaud NetCommunity** uses the most advanced version of the WYSIWYG editor.

New Features 7.2 Service Pack 12

Multi-Factor Authentication (MFA) for Admin and Organization Users	33
Security Enhancements	37

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 12. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 33) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 12. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 12.

Multi-Factor Authentication (MFA) for Admin and Organization Users

If your organization is hosted by **Blackbaud**, then we will require individuals who are admins, employees, or other internal organization users to use multi-factor authentication (MFA) to log in to **Blackbaud NetCommunity**. This requirement only affects internal BBNC website users who manage your organization's website.

Donors, alums, and other external non-organization users are exempt and are not required to use MFA. Standard Blackbaud NetCommunity® website users are not currently required to use MFA at this time. Their login experience remains unchanged.


Note: Organizations who are on-premise and already use MFA will be automatically enrolled in this updated version. If you previously enabled it, you likely used site settings to do so. Please setup the authenticator app after you upgrade to service pack 12.

Note: Organizations who are on-premise and have not previously enabled MFA enforcement should contact **Blackbaud** to request this be enabled for their admin users. Previously, they would have used site settings to enable it.

When MFA is enforced for a user and they attempt to log in, a Time-Based One Time Password (TOTP) is sent to their authenticator application. This is a 6-digit code, refreshed every 30 seconds.

To view the code, you must have the authenticator application installed on your smartphone. The smartphone does not need to be connected to the Internet.

1. Download and install your mobile authenticator app. We recommend:
 - Google Authenticator for [Google Android](#) or [Apple iOS](#)
 - Twilio Authy for [Google Android](#) or [Apple iOS](#)
 - Microsoft Authenticator for [Microsoft Windows Phone](#), [Google Android](#), or [Apple iOS](#)
2. When you log into **Blackbaud NetCommunity** for the first time after this change, confirm you have installed the authentication app and then select **Next**.

The image shows the login interface for Blackbaud NetCommunity. At the top right is the 'blackbaud' logo. Below it is the 'Blackbaud® NetCommunity™' title. The login section includes a 'Login:' label next to a text input field, and a 'Password:' label next to a password input field with masked characters. Below the password field is a checkbox labeled 'Remember Me'. A 'Login' button is positioned below the checkbox. A blue hyperlink for 'Forgotten password' is located below the button. At the bottom, the copyright notice 'Copyright ©2023 Blackbaud, Inc. All rights reserved.' and the version number 'Version: 7.2.3.1101' are displayed.

blackbaud

Blackbaud® NetCommunity™

Login:


Password:

☐ Remember Me

Login

[Forgotten password](#)


Copyright ©2023 Blackbaud, Inc. All rights reserved.
Version: 7.2.3.1101



3. Next, you'll retrieve your confirmation code. To do so, use your smartphone to open your mobile authenticator app.
Then use the camera feature on the phone to scan the QR code.

Scan QR Code

In your authenticator app, scan the multi-factor authentication (MFA) setup QR code and then select Next.



Or


Enter the secret code
 in
your authentication app and then select Next.

Alternatively, enter the secret code shown on the computer screen into your mobile authenticator app.

4. Select **Continue**.

Your mobile authenticator app will generate a 6-digit Time-Based One Time Password (TOTP).

5. Enter the 6-digit code as the Security Code in **Blackbaud NetCommunity**.



Verify Security Code

Please enter the security code from your authenticator app.

Security Code:

6. Select **Verify**.


This verifies the connection for your mobile authenticator app.

7. When the TOTP (Security Code) is successfully verified you will be logged in to **NetCommunity**.

If the verification fails, an error message will indicate, "Security key is not valid."

To configure the number of consecutive failed attempts allowed for a user and the lockout time period, go to **Administration, Site, Settings, Registration and login options**.

Supervisor users can also reset MFA for other internal organization users. To do so, login to **Blackbaud NetCommunity**, select **Users & Security**, search for the user account and select **Edit** on the user's row, select **Reset MFA** and then **Save**.



Save New user Delete Return

User editor Messages

☒ This user has Supervisor rights and can manage Users and Roles.

Login Name: *

adminuser

Send Password Reset Link Reset Authenticator

Security Enhancements

With this service pack, we've upgraded the jQuery UI (user interface) to version 1.13.2, which increases security.

We've also added field-level encryption for additional fields intended to store sensitive data.

Security Best Practice: Logout and Clear Browser Cache

Blackbaud NetCommunity (BBNC) doesn't interrupt you upon server session timeout. This enables you to complete complex or time intensive tasks. You'll still be logged out due to inactivity, however you won't be automatically redirected to login page. Thus, you'll still appear to be logged into **Blackbaud NetCommunity (BBNC)** until you refresh the browser session.

For security purposes, we therefore recommend you:

- check your internet browser settings to ensure your cookies and cache will be automatically cleared whenever you exit the browser.
- manually log out of **Blackbaud NetCommunity** whenever you complete your tasks.
- do not remain logged in with an open and active browser session when you are away from your device.

New Features 7.2 Service Pack 11



Recognize Global Privacy Opt Out Signals	41
Formatted Text and Display Part: Removed Merge Fields for Errors	43
Deprecated Parts: OCC, OLA, OLE	43

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 11. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.


Note: You must use The Raiser's Edge 7.96 (with Patch 31) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 11. For Customer Support assistance, visit Blackbaud's [website](#).

For details about system requirements, please visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 11.

Recognize Global Privacy Opt Out Signals

To record a **Global Privacy Control (GPC)** opt-out indicator on a constituent record in **Blackbaud NetCommunity**, you must create a GPC consent option in **Raiser's Edge** with the "Data Processing" channel and "Global Privacy Control" category.



If this consent option isn't present, or if it is present but the "Global Privacy Control" category is inactive, then GPC opt-out indicator won't be recorded on the constituent record.

Once an enabled GPC is recorded for a constituent it can't be changed. Consult your legal counsel to find out how your organization should respond to enabled GPC signals.

Use cases:

1. If a user signs up for **BBNC** who has GPC enabled, the **GPC Consent** option with opt-out response will be recorded upon constituent creation.
2. Upon **BBNC** login, for the unlinked constituent users, the **GPC Enabled** column (Yes/No) will be added to **User Gallery**.
3. If a **BBNC** website user (as logged-in linked constituent) has GPC enabled, the GPC consent option with opt-out response will be recorded upon **BBNC** login.
4. If a website user (not logged in) has GPC enabled and is making a transaction, this will lead to the creation of (or matching to) a constituent record in **RE**, and the GPC consent option with opt-out response will be recorded.
5. If a constituent already has response opt-out for the **GPC Consent** option in their consent record, has **GPC Enabled** in the browser, and does a transaction, the **GPC Consent** option with the response "opt-out" won't be duplicated on the constituent's consent records.
6. **Consent Options** with the channel "Data Processing" and category "Global Privacy Control" won't be available on the **BBNC** consent parts (both new and existing).

7. The **User** grid includes a new field called **GPC Enabled**. It shows the status of each user's **Global Privacy Control** option.
- For a Website user, the value for the **GPC Enabled** field is "NO" by default. After the **BBNC** user logs in into **BBNC** application from a **GPC Enabled** internet browser, then the value for **GPC Enabled** will become "YES."
 - For a **Raiser's Edge** Linked user, the value for the **GPC Enabled** field is blank by default and will remain blank.

You can also select to **Filter** the grid based on **GPC Enabled** status; use the checkbox above the grid to only show users with **GPC Enabled** ("Yes").

Action	First name	Surname	Username	Email address	Last login	GPC enabled
	org	const	const	org@const.com	30/10/2020 14:28:08	
	CRM_FIRST	crm_only_LAST	n10001450	piyushkumar.runme.0.him@previews.emailonacid.com		
	acid	de	acid	NitishGupta.runme.raj@previews.emailonacid.com		No
	direct	debit	direct_debit	piyushkumar.runme.0.him@previews.emailonacid.com	31/05/2023 17:18:40	Yes

Note: For detailed information about privacy laws and how they correspond to features of *Blackbaud* solutions, visit [Blackbaud's privacy hub website](#).

Formatted Text and Display Part: Removed Merge Fields for Errors

We removed merge fields for

- error code
- error description

from the Formatted Text and Display Part (FTI).

When this service pack is deployed, these merge fields are automatically removed from the part. The values will appear blank on corresponding parts and pages.

Deprecated Parts: OCC, OLA, OLE

All parts and forms for the following are deprecated:

- Online campus community (OCC)
- Online admission (OLA)
- Online re-enrollement (OLE)

for both hosted and on-premise organizations.

These forms no longer render nor display on the page.

New Features 7.2 Service Pack 10



Single Sign-On Deprecation	45
TinyMCE Upgrade	46
PayPal and Venmo Update	46
Bug fixes	46

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 10. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser’s Edge 7.96 (with Patch 30) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 10. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 10.


Single Sign-On Deprecation

Single Sign-On authentication for **Blackbaud NetCommunity** was deprecated. Users with out-of-the-box SSO capability enabled can continue using the feature with a visible deprecation notification. After upgrading to Service Pack 10, installations without SSO enabled won't have the SSO sections available.

Single sign-on authentication (Deprecated)

☒ Enable single sign-on authentication
 To add an SSO entry enter the data in the row above and click "Add New" at the bottom right.

Description	Shared key	UserName querystring	Time querystring	MD5 hash querystring	Expiration (seconds)	Include IP	Require Encryption	
		u	t	m	300	☐	☐	Add New



TinyMCE Upgrade

Blackbaud NetCommunity has upgraded TinyMCE to version 6.1.2 in **Email Templates**, **Email Messages**, **Layouts**, **Discussion Groups**, and **FTI** (Formatted Text and Images).

PayPal and Venmo Update

PayPal and Venmo are available for all areas that support checkout including **Donation 2.0**, **Event Registration Form New** (also known as **Event 2.0**), **Membership** and **Payment 2.0**. Venmo now populates as the selected payment method in the confirmation screen, **Acknowledgment Email**, **eReceipt**, and **Raiser's Edge**. There was no change in PayPal's functionality.

Bug fixes

- This fix addresses an issue with **Blackbaud NetCommunity eReceipts**. Previously, Images hosted in the **Blackbaud NetCommunity Image Library** were breaking into eReceipts.

New Features 7.2 Service Pack 9

Optimized Payment Workflow for Checkout Functionality in Donation Classic	47
Transaction Manager Checkout and Payment Optimization	48
reCAPTCHA on Pledge Requests	49
Password Reset Functionality Phase III	49
Deprecation of Universal Analytics	50
Installer Hash Update	50
In-Product Single Sign-On Deprecation	50
Bug fixes	50

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 9. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 28) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 9. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 9.

Optimized Payment Workflow for Checkout Functionality in Donation Classic

With this release, **Implemented Checkout** and **Optimized Payment Workflow** for **Checkout Functionality** in **Donation Classic** has been enhanced. The functionality works much like **Donation 2.0 Checkout**.

Now when a transaction fails, the business process picks the transaction from the current state and repairs it. If the **Donation Classic** page is sent via an email job or message, the transaction data is reflected in the honeycomb report.

Donation Classic now displays a message indicating that the transaction is being processed before the confirmation page appears. The Business Process called "Process CMS Transaction Business Process" that repairs transactions that have been authorized but were not immediately downloaded when using **Blackbaud Checkout**, has been modified to handle pending authorized **Donation** transactions as well.

This process runs every 15 minutes to make repairs and perform all post-transaction activities, such as acknowledgements, the honeycomb update, and notifications.

In the below screenshot, a new checkbox has been added to the **Donation Classic** part i.e., Use **Checkout** under the Proceed directly to payment option. On checking the **Use Checkout** option, the

user can make transactions via the Checkout popup. If the **Use Checkout** checkbox is not selected, the user's page will maintain existing functionality. Direct to Payment (DTP) transactions can be processed using the same page.

Payment setup

Transaction Manager Checkout and Payment Optimization

Users of the **Transaction Manager** page can make their outstanding pledge payments using **Checkout** when the **Checkout** supported **Donation Classic** page is configured in the **Transaction Manager** part.

When configuring settings in the **Transaction Manager** part, ensure of the following:

- The **Checkout** Payment option is present in the **Donation Classic** page when added in the **Transaction Manager** part.
- **Donation Classic** functionality with **Checkout Payments** is working as expected much like Direct to Payment (DTP).
- The previous functionality for the DTP method for **Donation Classic** is operating normally.
- **Checkout** is optimized via the **BBCheckout** form and has the same functionality as **Donation2.0 Checkout**, for dealing with the missed transactions related to the **Checkout** popup. Now, states are maintained in the database for a transaction flow. An existing business process was used for repairing missed transactions related to **One-time gift**. As part of this fix:
 - Missing transactions are successfully repaired.
 - The **Temporary Confirmation** screen loads after the **Checkout** popup closes and the theme matches.
- After **Missing transactions** have been repaired:
 - An acknowledgement email is sent to the donor.
 - A notification email is sent to configured roles (if applicable).
 - An eCard email is sent to configured (if applicable).
 - eReceipts are sent to the donor.

- A transaction reference number is sent in an acknowledgement email if the merge field is included in the email.
- **Donation Classic** data is reflected in **Transaction Manager** Parts.
- **Donation Classic** data is reflected in ***Blackbaud Raiser's Edge***.

reCAPTCHA on Pledge Requests

Previously, reCAPTCHA wasn't displayed on pledge transactions. Now reCAPTCHA has been added for verification on pledge transactions on the following pages:

- **Donation Classic**
- **Event classic**
- **Event 2.0**
- **Membership**
- **e-Card**
- **Fundraiser**
- **Personal Page Manager**
- **Common Form**
- **Payment 2.0**

Password Reset Functionality Phase III

With this release of ***Blackbaud NetCommunity***, Phase III of the Password Reset Functionality is now available. The new updates are as follows:

- The **RecordNewUserHandler** custom handler no longer accepts password fields. New users are now created using **RecordNewUserHandler** without passwords.
- The application can send a new user welcome email with a password reset link while creating the user via **RecordNewUserHandler** or not, depending on the organization's preference.
- New user signup emails are sent based on the new parameter flag **SkipNewUserWelcomeEmail**.
 - By default, its value is **false** so that current clients using this customer handler don't need to make any changes and can continue to send **Signup** emails along with new users.
 - If you don't want to send welcome emails, update this parameter flag to **true**.

Users can now reset their password via the following methods when the **SkipNewUserWelcomeEmail** parameter flag value is set to **true**:

- By clicking the Forgotten password link from the **login part/login.aspx** page.
- By requesting the organization send the password reset email.

For more information, view page 12 of the [Single Sign-on Overview Guide](#) to learn about the **RecordNewUserHandler** custom handler field table.

Deprecation of Universal Analytics

Universal Analytics will be deprecated in the following year. Per Google Support, “On July 1, 2023, standard Universal Analytics properties will no longer process data. You'll be able to see your Universal Analytics reports for a period of time after July 1, 2023. However, new data will only flow into Google Analytics 4 properties.”

To learn more, view [How can I set up Google Analytics 4 on my BBIS/BBNC website.](#)

Installer Hash Update

Previously, the installer hash for **BlackbaudInstaller** and the **PluginOnlyInstaller** were generated using SHA-1. Now the installer hash is generated by SHA-256.

In-Product Single Sign-On Deprecation

With the release of Service Pack 10, the in-product SSO (Single Sign-On) features will be deprecated.

Bug fixes

- This fix addresses an issue with the Event 2.0 page. Previously, when users ran bulk event registration and clicked on username link to fill pre-populated user details, the page refreshed and left the user at the top of the page instead of where they left off.

New Features 7.2 Service Pack 8

Optimized Payment Workflow for Checkout Functionality in Event 2.0	51
Password Reset Functionality	52
Payment Options for PayPal and Venmo	56
jQuery UI Upgrade to Version 1.13.0	57
Online Campus Community Update for Hosted Users	57
Bug fixes	57
BBNC 7.2 Service Pack 8 Hot Fix	57

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 8. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 27) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 8. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 8.

Optimized Payment Workflow for Checkout Functionality in Event 2.0

With this release, Payment Workflow functionality has been impacted and several changes have been made. The functionality works much like Donation 2.0 checkout. The state of each transaction is logged as part of this implementation. Users can view the CMSTransactions table in the database which contains entries of the correct status for each checkout transaction, review each scenario possible with Checkout transactions and check other transaction types like Bill me later.

In case of a failed transaction, the business process picks the transaction from the current state and repairs it. If the Event 2.0 page is sent via an email job / message, the transaction data will be reflected in the honeycomb report. Event 2.0 will now display a message indicating that the transaction is being processed before the confirmation page appears.

The Business Process called "Process CMS Transaction Business Process" that repairs transactions that have been authorized but were not immediately downloaded when using **Blackbaud Checkout**, has been modified to handle pending authorized membership transactions as well. This process runs every 15 minutes to make the repair and perform all post-transaction activities, such as acknowledgements, honeycomb update, and notifications.

Password Reset Functionality

With this release of **Blackbaud NetCommunity**, password reset functionality is now operating in phase 2. To learn more, view [Blackbaud NetCommunity 7.2 SP8 Password Security Update Preview And Actions](#).

1. Sites & Setting Configuration:

- a. **Existing behavior:** To publish any site, that site must have a home page and **Member login** page configured.
- b. From **Sites & Setting** to the **Setup Login** page, select the **Login** page which you want to use for password reset.

Registration and login options

Member login page: The password must be at least 12 characters in length and must contain at least one numeric, one special character (such as \$, #, %, *) and one lowercase letter or one uppercase letter. The password cannot contain your name(s), username or organization name in any text direction.


Password minimum length:

Lock account after attempts:

Account lockout duration: Minute(s)

c. Login page and email template:

- i. If no page is selected in the **Sites & Setting Member login** page for the selected site (or incoming request site), then it will use **Default site login** configuration.
- ii. In administration modules / areas it will use the current logged in site or the site chosen from the site menu.



- iii. If there is no default site or default does not have a login page configured, then it will use the default email template content stored in the database (non-configurable) with the **login.aspx** page for password reset.


Note: Any login page will only be considered as configured if it has an email template setup with a password reset link (Forgot password and new user welcome email templates).

iv. The application will only be sent to the user for the raised request because the user ID is known. It will not display all users belonging to that email address, as we see in the case of password reset from the **User login** section.

v. After upgrading to this feature, the customer admin needs to **edit their new user welcome email template** to include the **Password Reset Link**.

2. User Login Section – Welcome Email Changes:

a. To provide multiple uses for the **User Login** section, the conditional merge field section was implemented to be used only when a user is added by an administrator. The display differentiates users that registered themselves from users that were added by an organization site administrator. This prevents confusion for users who registered themselves via the login page on the site, and already created a password.




b. There is a separate section that includes the **Password Reset Link** merge field for use in welcome emails that are generated when a user is added by an administrator via the **Users & Security** page.


3. User Login Section – Welcome Email Changes:

a. The **Multi-Factor Authentication** tab name has been updated to "Authentication" along with several UI changes:

i. Deprecated UI:



ii. New UI:



4. User Editor:

- Password and confirm password fields have been removed from the UI.
- When a new user is created, a new user welcome email is sent upon save.
- The **User editor** screen displays a **Send Password Reset Link** button.
- When the **Send Password Reset Link** button is clicked, a password reset email is sent.
- Refer to **Sites & Setting** configuration to determine which email templates and login page will be used to send email and password reset UI respectively.


5. User grid:

- a. An action button has been added for the **Send Password Reset** email link.
- b. After the button is clicked, a confirmation box will appear.
 - i. This button will only be visible if that record has an email address associated with it.
 - ii. Refer to **Sites & Setting** configuration to determine which email templates and login page will be used to send email and password reset UI respectively.
- c. A new column titled "Email address" has been added.
- d. A new text box filter has been added to organize the record by email address.


Action	First name	Surname	Username	Email address	Last login
			Supervisor1		
			Test	test@test.com	
	10feb	10feb1	10feb	NitishGupta.runme.ank@previews.emailonacid.com	10/02/2022 01:43:22
	USER5	14FEB	USER_14FEB_5	nitishgupta.runme.ank@previews.emailonacid.com	14/02/2022 02:44:51
	USER6	14FEB	USER_14FEB_6	NitishGupta.runme.man@previews.emailonacid.com	14/02/2022 02:50:52
	USER7	14FEB	USER_14FEB_7	NitishGupta.runme.man@previews.emailonacid.com	14/02/2022 04:12:11
	30martest	30martest1	ankit	NitishGupta.runme.ank@previews.emailonacid.com	30/03/2022 01:14:43
	30jan	31jan	29jan	NitishGupta.runme.ank@previews.emailonacid.com	24/03/2022 01:59:28

6. Login.aspx:

- a. A **Forgot password** button has been added on **login.aspx** for self-service password reset.
- b. Refer to **Sites & Setting** configuration to determine which email templates and login page will be used to send email and password reset UI respectively.
- c. **Screen 1:** User login

The image shows the Blackbaud NetCommunity login page. At the top right is the 'blackbaud' logo. Below it is the 'Blackbaud NetCommunity' logo. The login form includes a 'Login:' label with a text input field, a 'Password:' label with a text input field, and a 'Remember Me' checkbox. Below the password field is a 'Login' button. A blue link labeled 'Forgotten password' is positioned below the 'Login' button. At the bottom of the form area, it says 'Copyright ©2022 Blackbaud, Inc. All rights reserved. Version: 7.2.1.818'. The entire form is set against a light blue background with a rainbow-colored header bar.

- d. **Screen 2:** Password reset message

The image shows the Blackbaud NetCommunity password reset page. At the top right is the 'blackbaud' logo. Below it is the 'Blackbaud NetCommunity' logo. The page instructs the user to 'Enter your email address and click Submit to receive your username and a link to reset your password.' Below this text is an 'Email:' label with a text input field. A 'Submit' button is located below the email field. At the bottom of the form area, it says 'Copyright ©2022 Blackbaud, Inc. All rights reserved. Version: 7.2.1.818'. The entire form is set against a light blue background with a rainbow-colored header bar.

Payment Options for PayPal and Venmo

With this release of **Blackbaud NetCommunity**, PayPal and Venmo have been added as payment options.

The following options are available for all areas that support checkout including:

- **Donation 2.0**
- **Event Registration Form New** (also known as **Event 2.0**)
- **Membership**
- **Payment 2.0**

jQuery UI Upgrade to Version 1.13.0

To ensure we provide the latest security enhancements for **Blackbaud NetCommunity**, we upgraded jQuery UI to version 1.13.0.

Online Campus Community Update for Hosted Users

With this release of **Blackbaud NetCommunity**, Online Campus Community's parts, Online Admission and Online Re-enrollment forms no longer render on the page after the end of support date of Education Edge for hosted users.

Bug fixes

- This fix addresses an issue with the Donation 2.0 Form in **Blackbaud NetCommunity**. Previously, pressing continue caused the page to stay in the same location without navigating back to the top of the form.
- This fix addresses an issue with cross-site scripting in **Blackbaud NetCommunity**.
- This fix addresses an issue with **Blackbaud Checkout** in **Blackbaud NetCommunity**. Previously, PayPal offered in Blackbaud Checkout was unable to complete a transaction.
- This fix addresses an issue with updating the password on the user profile page in **Blackbaud NetCommunity**. Previously, users encountered an error message when updating the password on the user profile page.
- This fix addresses an issue with the Membership Form in **Blackbaud NetCommunity**. Previously, recurring memberships were not tokenized.
- This fix addresses an issue with the Registration Gift Amount merge field in **Blackbaud NetCommunity**. Previously, the Registration Gift Amount merge field in the Event Registration Transaction Notification email displayed as negative.

BBNC 7.2 Service Pack 8 Hot Fix

- This fix addresses an issue with Event 2.0 Registrations. Previously, users received staff notifications and donor acknowledgment emails for declined transactions.

New Features 7.2 Service Pack 7

Optimized Payment Workflow for Checkout Functionality on Membership	59
Updates due to End of Service for Blackbaud Direct Marketing	59
PayPal Disabled from Checkout	60
Upgrade to .Net Framework 4.8	60
jQuery upgrade to 3.6.0 version	60
Bug fix	60

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 7. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 26) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 7. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 7.

Optimized Payment Workflow for Checkout Functionality on Membership

Membership will now display a message indicating that the transaction is being processed before the confirmation page appears.

When using Blackbaud Checkout, the process that repairs any transactions that have been authorized but not immediately downloaded has been modified to handle pending authorized membership transaction. This process runs every 15 minutes to repair and perform all post-transaction activities, such as acknowledgements, Ereceipts, honeycomb update, and notifications.

Updates due to End of Service for Blackbaud Direct Marketing

Due to the end of service for **Blackbaud Direct Marketing**, the following updates were made to **Blackbaud Netcommunity**:

1. Finder number options were removed from the UI.
2. The webservice credential option to communicate with **Blackbaud Direct Marketing** was removed.
3. A deprecated message displays for **Blackbaud Direct Marketing - Blackbaud Netcommunity** services in configuration info.

PayPal Disabled from Checkout

This change removes the PayPal option for users in Blackbaud Checkout even if the merchant account contains PayPal support.

Upgrade to .Net Framework 4.8

We have upgraded the .NET framework to 4.8.

jQuery upgrade to 3.6.0 version

To ensure we provide the latest security enhancements for **Blackbaud Netcommunity**, we upgraded jQuery to version 3.6.0.

Bug fix

Previously donation 2.0 forms were not showing as ADA compliant when they were run through third party ADA compliance tools such as SiteImprove. This is fixed.

New Features 7.2 Service Pack 6

Multi-Factor Authentication	61
Email Address and Password Reset	63
Configure Account Lockout Duration	63
eStore	63
TinyMCE Upgrade	64

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 6. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 24) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 6. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 6.

Multi-Factor Authentication


To improve security, we have implemented multi-factor authentication (MFA) for **Blackbaud NetCommunity**. Under **Sites & Settings, Settings**, you can now see the new Multi-Factor Authentication Setup section.

The screenshot shows the 'Settings' tab in the Blackbaud NetCommunity interface. The page title is 'Configure global settings to apply to all the sites that you create. These organization-wide settings apply to your default site, as well as any parent or child sites.' Below the title are 'Save' and 'Help' buttons. A navigation bar includes links for General, Web services, Caching, Schedules, Financial, Education, Social media, API, and MFA (which is highlighted). The 'MultiFactor Authentication Setup' section contains a checkbox for 'Enable MFA' which is checked. To the right of this checkbox is a callout box stating: 'Selecting this option will enable MFA for all your parts which provide login capabilities.' Below the 'Enable MFA' checkbox are two sections: 'MFA Code Email Setup' with a 'Setup MFA Code Email' button, and 'Email Address Change Email Setup' with a 'Setup Address Change Email' button. To the right of these buttons are two callout boxes: 'Click this button to setup MFA Code Email' and 'Click this button to setup Email Address Change Email'.

There, you can enable MFA and set up emails to send the MFA code and address changes.

Login Experience

When you log in, you now see a request to verify your identity. Select **Send Code** to receive a multi-factor authentication code via email.



Verify My Identity


For your protection, we will send you a security code to the following email address:

****vid@blackbaud.com** [This is not my email](#)

If you do not have an email address on file, you will be prompted to enter one.

User Login Part

The User Login Part now includes a link to **MFA Code Email**, which allows you to access and edit the MFA code email template. You can also use the new **Change Email Address Email** option.



✎ Forgotten Password/Username Email ✎ New User Registration Email ✎ MFA Code Email ✎ Change Email Address Email

User Login : 9 june user login test colos (Edit Part)

Design Helplets Language Properties Usage Targeting & security Tags

Social website login

☐ Enable social website login Select this field to display the social site icons on the login page.

Captions and properties


Select titles and hyperlink captions for the web page. You can edit the text to appear on the page on the *Language* tab.

Login
New User Registration
Forgotten Password/Username

In addition, the Language tab on the User Login part includes a new category for "Multi-factor authentication." This allows you to customize verification popups and data entry validations.

User List

We have also updated the user list to include a filter for Email Verification Status for each user.



Email Address and Password Reset

To improve security, we have made the following enhancements to email address and password management.

- All user accounts must now have an email address on record. When you log in to **Blackbaud NetCommunity**, if you do not have an email address on record, you will be prompted to enter one.
- When you need to reset your password, you now enter the old and new passwords in the same screen rather than separate screens.
- When you change your email address, you now receive an email to your old email address notifying you of the change.
- Admins can configure how long passwords will last before they expire in the web.config file, under the setting "PasswordExpirationDays." The expiration time must be between 90 and 365 days.

Configure Account Lockout Duration

Admins can now configure the account lockout duration to better manage how login attempts are handled. In **Sites and Settings**, under **Registration and login options**, you can see the lockout options. The number of attempts must be between one and five, and admins can adjust the lockout duration to any length of at least 10 minutes.

Note: Users can't access their account after a lockout (even after a password reset) until the lockout time period ends.

eStore

eStore functionality has been deprecated.

TinyMCE Upgrade

In a previous version, we upgraded TinyMCE to version 5.7.1 in Email Template, Email Messages, Layouts, Discussion Groups, and FTI. With this release, we have upgraded to version 5.7.1 for the rest of the application.

New Features 7.2 Service Pack 5

Improved Login Security	65
Remember Me for Login Information	65
Internet Explorer 11	65
TinyMCE Upgrade	66

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 5. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 22) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 5. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 5.

Improved Login Security

With this update, **Blackbaud NetCommunity** will lock user accounts for 10 minutes after five consecutive unsuccessful login attempts. This now includes third-party functionality using single sign-on. For more information about password requirements, see [New Password Complexity Requirements and Expiration on page 70](#).

Remember Me for Login Information

The "Remember me" option for login information now does not remember your user name after you close your browser session. Previously, it still remembered you if you closed your browser session but it had not been 24 hours. Now, you must re-enter your user name if you log in after 24 hours or if you close your browser session.

Internet Explorer 11

Blackbaud NetCommunity no longer supports *Internet Explorer* 11.

TinyMCE Upgrade

We have upgraded TinyMCE to version 5.7.1 in Email Template, Email Messages, Layouts, Discussion Groups, and FTI.

Maintenance Changes 7.2 Service Pack 5

Blackbaud NetCommunity version 7.2 Service Pack 5 also includes these changes.

Bug fixes

Blackbaud NetCommunity version 7.2 Service Pack 5 also includes these bug fixes.

- We have fixed an issue with the free classic Event Registration form. Previously, the form was generating a reCAPTCHA error when someone tried to register.
- We fixed an error when changing an existing image to a different image in the Image Library. Previously, the image was not added and you could not revert to the original image.

New Features 7.2 Service Pack 4

Silverlight Deprecation	69
Access Control Logging	69
New Password Complexity Requirements and Expiration	70
Security Check for Uploading Files	70
Field Encryption	70

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 4. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 21) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 4. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 4.

Silverlight Deprecation

Microsoft will discontinue support for *Silverlight 5* on October, 2021. In preparation, we have deprecated parts that use Silverlight. The following parts are deprecated.

- User Networking Manager
- My Friends
- User Link Module

In addition, the following features are also affected.

Directory Pages

- The option to send a message via User Networking under Directory has been removed
- The User Networking has been removed on the Edit User Record screen

Notification Templates

- Email Notification templates specific to User Networking Manager have been removed. In addition, constituent type notifications that use User Networking Manager are no longer available.

Access Control Logging

We have enhanced logging of access control events to include both successful and failed login attempts using Windows Event Logs.

New Password Complexity Requirements and Expiration

We have changed the password complexity requirements.

- Minimum length has increased from 8 to 12 characters
- Passwords must include:
 - Both numbers and letters
 - At least one special character (#/\$/%/&/@, etc.)
 - Uppercase and lowercase letters
- Passwords cannot include the registrant's name(s), user ID, user name, or organization name
- Passwords cannot match any of the last six passwords

If an existing user has a password that does not meet the new criteria, they will be prompted to reset their password before they can continue.

For more information about changing password requirements, see [Knowledgebase Solution 195804](#).

Security Check for Uploading Files

We have added new security checks when you upload files or images to the system.

Field Encryption

To increase security, birth date and social security number information is now encrypted when you process a new transaction.

Maintenance Changes 7.2 Service Pack 4

Blackbaud NetCommunity version 7.2 Service Pack 4 also includes these changes.

Bug fixes

Blackbaud NetCommunity version 7.2 Service Pack 4 also includes these bug fixes.

- We fixed an issue with email content. Previously, when you added a conditional content block to an email message and then edited the HTML source code for the email, the content that appeared after the conditional content block was incorrectly removed.

New Features 7.2 Service Pack 3



Single Sign-on NetClassroom and Faculty Access for the Web73

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 3. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 17) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 3. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 3.

Single Sign-on NetClassroom and Faculty Access for the Web

If a user is locked out of **Blackbaud NetCommunity** because they exhausted their password attempts, they are no longer able to access **Blackbaud NetCommunity** from **NetClassroom** or **Faculty Access for the Web** using single sign-on. An admin must unlock their account before they can use single sign-on again.

Maintenance Changes 7.2 Service Pack 3

Blackbaud NetCommunity version 7.2 Service Pack 3 also includes these changes.

Optimizations

Blackbaud NetCommunity version 7.2 Service Pack 3 also includes these optimizations.

- The Payments Workflow has been optimized for Donation 2.0 part. Donation 2.0 will now display a message indicating that the transaction is being processed before the confirmation page appears. This message can be configured under the Language tab. We recommend that you do not exceed 250 characters in this message. We have also implemented a Business Process called "Process CMS Transaction Business Process" that repairs transactions that have been authorized but were not immediately downloaded when using **Blackbaud Checkout**. This process runs every 15 minutes to make the repair and perform all post-transaction activities, such as acknowledgements, eReceipts, honeycomb update, and notifications.
- We have strengthened field-level encryption for sensitive data, such as personally identifiable information.

Bug fixes

Blackbaud NetCommunity version 7.2 Service Pack 3 also includes these bug fixes.

- We fixed an issue with registration status. Previously, when you processed event registrations through the **Blackbaud NetCommunity** plugin in **Raiser's Edge**, the Registration Status Date was not added to the participant record.
- We fixed an issue with duplicate registrants. Previously, if you entered a space at the end of the participant's last name for an event, the registrant was incorrectly duplicated in **Raiser's Edge**. In addition, the constituent appeared as "Do Not Register."

New Features 7.2 Service Pack 2



Matching Gifts in Donation 2.0 Forms 77

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 2. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 17) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 2. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 2.

Matching Gifts in Donation 2.0 Forms

To help you maximize donations, Donation 2.0 forms now support matching gift options. Previously, this option was not available in 2.0 forms.

With this update, you will find the following enhancements:

- When you edit a form, you can select **Allow matching gifts** under **Donor options** to have the matching gift option appear on the form.
- On the **Language** tab, you now see a **Matching Gifts** option under **Categories**. When you select this option, you can change the display text on your forms from the default.
- When you design your acknowledgements and eReceipts, you now can add matching gift merge fields to better customize your emails.
- Matching gift merge fields are also available to customize your confirmation screen.

Maintenance Changes

Blackbaud NetCommunity version 7.2 Service Pack 2 also includes these changes.

Bug fixes

- We addressed an issue with the Date of Birth field on email signup forms when the country was set to The Netherlands. Previously, you could receive an error when entering the date of birth manually or from the calendar, even when the date was valid.
- We addressed an issue with viewing eCards. When using classic donation forms that included eCards, the eCard recipients could receive an error when viewing the card. This only happened when the cards were generated from a donation part and not from an eCard part.
- We addressed an issue with Donate links in Team Fundraiser. Previously, when a donor selected the "Donate" link on a Team Fundraiser page, they could receive an error.
- We addressed an issue with the number of transactions in different reports. Previously, the number of transactions in the Email Summary Report could differ from the Transactions field in the "honeycomb" report, the summary on the Additional Information report, and the number of records exported in the Details report.
- We addressed an issue with registrant names on Event 2.0 parts. Previously, the Registrant Names could be blank when you looked at the See Who is Coming list for the event. This happened when duplicate attendees existed on the event and the attendee list opt-in attribute was selected on the Attendees, Attribute section in **Raiser's Edge**.
- We addressed an issue with event calendar parts. Previously, the options to add images and links were sometimes missing in these parts.
- We addressed an issue with unengaged recipients. Previously, email addresses for constituents who had clicked a link in the last 6 months were incorrectly included in the Unengaged Recipient list when you filtered the list for the last 6 months.
- We addressed an issue with click-through numbers. Previously, the numbers could be different in **Blackbaud NetCommunity** and in **Raiser's Edge**. Specifically, click throughs that appeared on **Blackbaud NetCommunity** sometimes did not appear in **Raiser's Edge** records.

New Features 7.2 Service Pack 1

Donation 2.0 Enhancements	81
Donor Name	81
Support for Pledge Installments	82
Merge Fields for Direct Debit	82
Merge Fields for Credit Card	83
eReceipts for Direct Debit for the United Kingdom	83
eReceipts	83
Tiny MCE Editor	83
Blackbaud Checkout: Membership Part	83
Training	84

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2 Service Pack 1. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 17) or higher to integrate with Blackbaud NetCommunity 7.2 Service Pack 1. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2 Service Pack 1.

Donation 2.0 Enhancements

In this release, we've made several new enhancements to the Donation 2.0 part.

Donor Name

The Donation 2.0 part will use the donor's name based on the Donation Form

- via the user details (if the donor logged in)
- or data entered in the personal information step.

If the personal information step is not configured and the donor isn't logged in as user, then information entered in **Checkout** will be used.

Support for Pledge Installments

The Donation 2.0 part now includes an option which administrators can enable to accept Pledge Installments as a Gift.

A pledge is a promise to pay a specified amount over a set period. Pledges are paid in one or more installments.

1. To enable this, select **All Pledge Installment gifts** when you configure the part. By default, it isn't enabled.
2. Then choose the options that will be available to donors for the frequency of their pledge installments.
 - Monthly
 - Quarterly
 - Semi-annually
 - Annually
3. Reorder the frequency options or add captions to customize how they'll appear to donors.
4. Configure the remaining settings.

These are similar to the settings available for Recurring Gifts in a Donation 2.0 part.

For example, you can determine a maximum to limit the number of installments that make up donor pledges. Otherwise, donors can enter a installment number between 1 and 99.

You'll also determine what payment methods are accepted, as well as messages for acknowledgments and confirmations.

When a donor selects to make a pledge, the donor determines the

- Total pledge amount
- Frequency of installments
- Number of installment
- Start date of the first installment

and then provides the appropriate provide credit card or direct debit information for payments.

Note: The "Bill me later" option is not available for pledge installments.

Merge Fields for Direct Debit

Merge fields for **Direct Debit** are now enabled by default for use on the **Acknowledgment Email** and **Confirmation Screen**.

Previously, if you wanted those merge fields, an admin had to configure them to be available first.

Merge Fields for Credit Card

An admin can now configure merge fields for **Credit Card** for use on the **Acknowledgment Email** and **Confirmation Screen**.

eReceipts for Direct Debit for the United Kingdom

In a previous release, Donation 2.0 forms were updated to support **Direct Debit** for the United Kingdom. (Your organization's culture is set to UK.)

In the current service pack, **Direct Debit Receipts** are also supported when you use a Donation 2.0 form with direct debit for the United Kingdom.

A merge field for the **Direct Debit Receipt URL** can be included in the **Acknowledgment Email** and **Confirmation Screen**.

eReceipts

Now, eReceipts are supported when you use a Donation 2.0 form for **Credit card** and **Debit card**. An admin can enable them in **Sites and Settings**.

A merge field for the eReceipt can be included in the **Acknowledgment Email** and **Confirmation Screen**.

Tiny MCE Editor

With this release, all *Tiny MCE* editors were upgraded to version 4.9.6. You'll use these to add and edit HTML content in a "what you see is what you get" (WYSIWYG) experience.

Blackbaud Checkout: Membership Part

This release updates the **Membership** part to use the re-factored transaction processing architecture and integrate with **Blackbaud Checkout**.

1. Edit the **Membership** part.
2. Select **Credit Card** as a payment method.
3. Checkout is disabled by default.

Select **Add Checkout** to enable it.

Note: Currently on a part editor, when **Checkout** is enabled and the selected merchant account supports **Checkout**, the checkout overlay will appear. However, if the selected merchant account does not support **Checkout** (ie. it uses **(IATS)** instead), then the part will use a **Blackbaud Secure Payments** page for credit card payments. If **Checkout** is disabled on the part editor, the part uses **Direct to Payment**, regardless of the selected merchant account.

Training

The **Help** menu now includes a clickable hyperlink to **Training**. Select it to view the current curriculum available from *Blackbaud University*.

Maintenance Changes

Blackbaud NetCommunity version 7.2 Service Pack 1 also includes these changes.

Bug fixes

- We improved the performance of Donation 2.0 forms. Specifically, the confirmation screen now loads faster when eReceipts are not enabled.
- Previously, when a user created a Donation Form 2.0 part and attempted to edit the text on the **Language** tab, an error caused the live form to show the default text instead of the saved customized text. This is fixed; the text entered and saved on the **Language** tab now correctly appears on the live form.
- Previously, if eReceipts were enabled, donors who submitted transactions experienced a slow loading page. Some donors submitted duplicate transactions when they believed the donation was unsuccessful. This is fixed; the page loads as expected when the donor selects **Donate Now**.
- Previously, an error caused the mini donation form part to use the **Email** or **Phone Type** based on the first **Phone Type** in the **Tables** configured in **Raiser's Edge**, instead of the type configured in the **Sites and Settings** for **Admin** in **Blackbaud NetCommunity**. There was a workaround (*KnowledgeBase* article: 114861). This is fixed; the mini donation form part now uses the correct settings from **Blackbaud NetCommunity**.
- Previously, if the **Raiser's Edge** integration was set to regularly import data, but **Raiser Edge 7** was down during the scheduled import time, events would briefly disappear from the **Event Calendar** in **Blackbaud NetCommunity** until **Raiser Edge 7** was restored and the integration imported data again. This is fixed; the events continue to display even when the integration can't import data because it's data source is down.
- Previously, if a user only had email rights, an error prevented the user from using any export functions (message reports, bounces, opt outs, not-sent). When the user attempted to view the **Select Export** page, the page appeared to load but the export wasn't downloaded. This is fixed; users with email rights can successfully download exports. Users with supervisor rights never experienced the error.
- Previously, when a user inserted the email sign up form part on a **Blackbaud NetCommunity** page, the style sheet for the part override the site style. Now, the email sign up form part displays based on the site style sheet (correct priority).
- This release updates the reCAPTCHA integration for user registration forms to strengthen resistance to spam bots.
- This release also includes multiple security fixes.

New Features for 7.2

Janrain is now Akamai	87
Blackbaud Checkout Enhancements	88
Donation 2.0 Enhancements	88
Support for Direct Debit(ACH)	88
Support for "Other" Designations	90
Match Event Guests to Constituents in Raiser's Edge	90
Email Enhancements	90

This guide provides an overview of new features and enhancements for Blackbaud NetCommunity 7.2. For information about how to install or update to this version, see the *Infinity Platform Installation and Upgrade Guide*.

Note: You must use The Raiser's Edge 7.96 (with Patch 17) or higher to integrate with Blackbaud NetCommunity 7.2. For Customer Support assistance, visit Blackbaud's [website](#).

This release of **Blackbaud NetCommunity** is version 7.2.

Previous references to the 7.2 release mentioned that it would be called version 7.1 Service Pack 6. However, due to the nature of the enhancements included in this release (such as adding **Blackbaud Checkout** to various parts), this update is 7.2 instead.

Janrain is now Akamai

Akamai Technologies recently acquired *Janrain* and renamed their *customer identity and access management (CIAM)* product to *Akamai Identity Cloud*.

Integration with this third-party authentication service enables your organization to manage multiple logins for your **Blackbaud NetCommunity** website and social network websites, such as *Facebook* and *Twitter*.

Existing *Janrain* integrations require no updates: the functionality and configuration for this integration has not changed. You'll simply notice the rebrand and updated website information for the company. Your original *Janrain* dashboard remains at <https://dashboard.janrain.com/>.

We're updating our help documentation to reflect the rebrand to *Akamai*. However, some documentation may continue to use the legacy name, *Janrain*.

To set up this integration, follow the directions in our documentation for *Janrain* or *Akamai*.

Blackbaud Checkout Enhancements

Forms

With Version 7.2, these now also use **Blackbaud Checkout**.

- Event Registration Form part
- Payment 2.0 part

Donation 2.0 Enhancements

In this release, we've made several new enhancements to the Donation 2.0 part.

Remember that in version 7.1 Service Pack 5, the Donation Form - Mini (Beta) was renamed and is now called Donation 2.0. This form also uses **Blackbaud Checkout**.

Support for Direct Debit(ACH)

To enable donors to contribute gifts via *Automated Clearing House (ACH)*, you can now enable **Direct Debit** when you setup payments on a donation form part.

From the part editor, select **Payment Setup** and choose whether to enable direct debit payments, credit card payments, or both payment methods. When you enable direct debit payments, donors will enter the name of the account holder, their bank name, the account number, and the routing number (or sort code) to complete the payment. Based on where the donor lives, they may be required to enter additional information.

Enter Debit Information

Account holder's name *

Bank name *

Account number *

Routing number *

Due Today

\$70.00

Support for "Other" Designations

When your organization selects to **Enable Other Designation** on a donation form, the donor can select **Other** under **Designation** and then enter which fund should receive the donation. This information also appears on the confirmation page for the donation and in acknowledgment emails.

An admin then links the donation to the appropriate fund from **Raiser's Edge** when the admin processes transactions through the **Blackbaud NetCommunity** plug-in.

Your organization can customize the caption text that appears in labels for this functionality, such as "How would you like to direct your donation?"

Match Event Guests to Constituents in Raiser's Edge

When an individual registers to attend an event, and the primary registrant brings a guest to the event, you can now match the guest to constituent in **Raiser's Edge** when you process the event transaction in the **Blackbaud NetCommunity** plugin. Previously, you could only match the primary registrant.

When you process the event transaction, the plug-in now automatically attempts to match each guest to an existing constituent in **Raiser's Edge**. Administrators can also search for existing constituents and manually link a guest to an existing constituents.

If no existing constituents match the guest for the event, an event administrator can select to create a new constituent record in **Raiser's Edge** for the link. Alternatively, you can decline the option and not create a new constituent; the guest will be noted in the same way that the guest would have been handled before this update.

Email Enhancements

With this update, it's easier for email recipients to unsubscribe from email messages without harming your organization's reputation for SPAM compliance.

If an email recipient uses a supported email provider and your organization's email domain is in good standing as a sender (SPAM Compliance), then an unsubscribe link appears automatically in the header of the email in the email application (such as *Google Gmail*)

When a recipient selects this link, the recipient is handled as though the user selected to globally unsubscribe from a **Blackbaud NetCommunity** communication form. This does not harm your organization's domain reputation.

Maintenance Changes

Blackbaud NetCommunity version 7.2 also includes these changes.

Bug fixes

- *Google Analytics* no longer generates the analytics.js "ga" code which **Blackbaud Netcommunity** needs for site tracking. Instead, *Google Analytics* only generates the gtag.js "Google Tag Manger" code by default. This default may prevent the confirmation screen from appearing on your donation forms. To resolve this issue, go to **Administration** and **Sites & settings**. Then **Edit** the site tracking code. In the first line of the code, replace the word aync with aync="true". **Save** your changes. These directions are also included in the *Blackbaud Customer Support Knowledgebase* article 114068.
- We improved the performance of Donation 2.0 forms. Specifically, the form now loads faster when it includes many countries as options in the drop down menu.
- Previously, if a user submitted a payment for an Event 2.0 part and included extra whitespace after the cardholder name, the cardholder's last name sometimes appears blank in the **Raiser's Edge** plugin. The first name still appeared as expected. This is fixed; extra spaces in the name are now handled without issue.
- Previously, an error caused eReceipts to generate blank .pdf files for a small number of organizations with **Spark**. This is fixed; the files are generated with the appropriate content for eReceipts.
- Previously, if an organization used Donation forms but didn't have the Tribble module, an error could occur. This is fixed.
- Recently, users who did not have full Supervisor rights were unable to view the "honeycomb" email report. This is fixed. Users who have access to manage emails can view the email reporting data included in this report.
- Previously, if an organization linked a Membership form to a Payment 2.0 part, and selected for the email confirmation to include membership members and additional members, an error prevented the names of the additional members from appearing in the confirmation email. This is fixed; all the names appear as expected.
- Recently, an error caused gifts to intermediate appear and disappear from scrolling donor display and fundraiser dashboard results. This is fixed; the results are consistent and correct.
- To ensure we provide the latest security enhancements for **Blackbaud Netcommunity**, we upgraded *jQuery* to version 3.4.1. We recommend that all clients upgrade apply version 7.2 to ensure they take advantage of the latest security enhancements.

Patch 1

- Previously, when an Event 2.0 form with **Blackbaud Checkout** was used to register multiple attendees, an error caused guest names to be duplicated in the acknowledgment email sent to the

user. This is fixed.